



Models		DF-7580V-230	DF-7580V-460	DF-7580V-575
Pump	Type	ICM-10C	ICM-10C	ICM-10C
	CFM@150 psi	24	24	24
	RPM	560	560	560
Air Receiver	Capacity (gal)	80	80	80
	psi max	200	200	200
Electric Motor	HP	7.5	7.5	7.5
	Phase	1	3	3
	RPM	1725	1770	1770
	Current (amp) at start up	202	70.1	56.4
	in continuous service	31	9.4	7.8
Pressure Switch	(psi)	115/150	115/150	115/150
Voltage	(V)	230	460	575
Dimensions	L x W x H (in)	40 x 24 x 72	40 x 24 x 72	40 x 24 x 72
	Weight (lbs)	717	717	717

# RK COMPRESSORS

# Specifications



Models		DF-7580H-230	DF-7580H-460	DF-7580H-575	DF-75120H-230	DF-75120H-460	DF-75120H-575
Pump	Type	ICM-10C	ICM-10C	ICM-10C	ICM-10C	ICM-10C	ICM-10C
	CFM@150 psi	24	24	24	24	24	24
	RPM	560	560	560	560	560	560
Air Receiver	Capacity (gal)	80	80	80	120	120	120
	psi max	200	200	200	200	200	200
Electric Motor	HP	7.5	7.5	7.5	7.5	7.5	7.5
	Phase	1	3	3	1	3	3
	RPM	1725	1770	1770	1725	1770	1770
	Current (amp) at start up	202	70.1	56.4	202	70.1	56.4
	in continuous service	31	9.4	7.8	31	9.4	7.8
Pressure Switch	(psi)	115/150	115/150	115/150	115/150	115/150	115/150
Voltage	(V)	230	460	575	230	460	575
Dimensions	L x W x H (in)	63 x 21 x 44	63 x 21 x 44	63 x 21 x 44	68 x 25 x 47	68 x 25 x 47	68 x 25 x 47
	Weight (lbs)	711	711	711	844	844	844

The illustrated part list for this model is not available at this moment.

Contact us!

We will be happy to help you in your search.

Equipements ESF inc.

Customer Service: 418-845-2318 or toll free 1 800 463-4412

Email: [info@esfdirect.com](mailto:info@esfdirect.com)

Fax: 418-845-5252 or toll free 1 800 665-0349